



## Accessories Production and Processing...



6822LLB Bearing 2D drawings and 3D CAD models

110,000 mm x 140,000 mm x 16,000 mm NTN  
6822LLB deep groove ball bearings

Bearing No. 6822LLB

Size	110x140x16 mm
Bore Diameter	110,000 mm
Outer Diameter	140,000 mm
Width	16,000 mm
d	110,000 mm
D	140,000 mm
B	16,000 mm
C	16,000 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.495
EAN	4547359586329
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Non-Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric



## Accessories Production and Processing...

Long Description	110MM Bore; 140MM Outside Diameter; 16MM Outer Race Diameter; 2 Seals; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	6822LLB/5C
Weight / LBS	1.094
Outer Race Width	0.63 Inch   16 Millimeter
Bore	4.331 Inch   110 Millimeter
Outside Diameter	5.512 Inch   140 Millimeter
Other Features	Deep Groove   Non-Friction Nitrile Rubber Seal   Shell Alvania Prelubricated
Inner Race Width	0 Inch   0 Millimeter
bore diameter:	110 mm
static load capacity:	28200 N
outside diameter:	140 mm
precision rating:	ISO Class 0
overall width:	16 mm
finish/coating:	Uncoated
bore type:	Round
bearing material:	High Carbon Chrome Steel
closure type:	Double Sealed
cage material:	Steel
row type & fill slot:	Single Row Non-Fill Slot
inner ring width:	16 mm



## Accessories Production and Processing...

snap ring included:	Without Snap Ring
outer ring width:	16 mm
internal clearance:	CN
maximum rpm (grease):	4300 rpm
operating temperature range:	-40 to 120 ° C
fillet radius:	1 mm
dynamic load capacity:	24900 N
manufacturer product page:	<a href="#">Click here</a>